Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




Water Supply Outlook For Nevada



SOIL CONSERVATION SERVICE
U.S. DEPARTMENT OF AGRICULTURE

Cooperating with

AND NATURAL RESOURCES
DIVISION OF WATER RESOURCES



TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

COVER PHOTO: SNOW SURVEYORS MAKING SPECIAL MEASUREMENTS OF

THE SNOWPACK NEAR MT. ST. HELENS VOLCANO, WASHINGTON, APRIL 1980.

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 510, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	Room 129, 2221 East Northern Lights Blvd., Anchorage, Alaska 99504
Arizona	Room 3008, Federal Building, 230 N. First Ave., Phoenix, Arizona 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th St., Boise, Idaho 83702
Montana	P. O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno, Nevada 89505
Oregon	1220 S. W. Third Ave., Portland, Oregon 97204
Utah	4420 Federal Bldg., 125 South State St., Salt Lake City, Utah 84138

360 U.S. Court House, Spokane, Washington 99201

P. O. Box 2440, Casper, Wyoming 82602 Wyoming

Washington

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Snow Surveys Branch, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- for British Columbia by the Ministry of the Environment, Water Investigations Branch, Parliament Buildings, Victoria, British Columbia V8V 1X5 --- for Yukon Territory by the Department of Indian and Northern Affairs, Northern Operations Branch, 200 Range Road, Whitehorse, Yukon Territory Y1A 3V1 --- and for Alberta, Saskatchewan, and N.W.T. by the Water Survey of Canada, Inland Waters Branch, 110-12 Avenue S.W., Calgary, Alberta T3C 1A6.



WATER SUPPLY OUTLOOK FOR NEVADA

and
FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

NORMAN A. BERG

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON. D C

Released by

GERALD THOLA

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE RENO, NEVADA

In Cooperation with

ROLAND D. WESTERGARD

DIRECTOR
DEPARTMENT OF CONSERVATION AND
NATURAL RESOURCES
CARSON CITY, NEVADA

Report prepared by

RONALD E. MORELAND, Snow Survey Supervisor
CLINT R. ULRICH, Hydrologist
and

NANCY J. HARRIS, Statistical Assistant

SOIL CONSERVATION SERVICE P. O. BOX 4850 RENO, NEVADA

TABLE OF CONTENTS

	Page
WATER SUPPLY OUTLOOK FOR NEVADA	1-2
PROSPECTIVE WATER SUPPLY FOR NEVADA (Map)	3
INDEX TO NEVADA SNOW COURSES (By Basins)	4
WINTER SNOWPACK	5
NEVADA STREAMFLOW FORECASTS	6
RESERVOIR STORAGE	7
SATELLITE SNOW COVER MAP	
TAHOE-TRUCKEE, CARSON AND WALKER BASINS	8
HUMBOLDT RIVER ABOVE COMUS, NEVADA	9
SNOW COURSE MEASUREMENTS	10-12
PRECIPITATION MEASUREMENTS (Soil Conservation Service)	.13-14
PRECIPITATION MEASUREMENTS (National Weather Service)	15
LIST OF COOPERATORS Inside Rack	Cover

All averages are for 1963-1977 period.

WATER SUPPLY OUTLOOK FOR NEVADA

STREAMFLOWS THIS SUMMER WILL BE MUCH BELOW AVERAGE. FORECASTS OF APRIL THROUGH JULY RUNOFF HAVE BEEN REDUCED 5 TO 10 PERCENT BELOW THE FORECASTS ISSUED APRIL 1, 1981. BELOW AVERAGE PRECIPITATION, AND ABOVE AVERAGE TEMPERATURES HAVE CONTRIBUTED TO THIS REDUCTION.

*

*

*

SNOW MEASUREMENTS FOR MAY 1 INDICATE SNOW WATER RANGING FROM 25 TO 50 PERCENT OF AVERAGE, BUT ARE STILL ABOVE THOSE RECORDED ON MAY 1, 1976 AND 1977.

* RESERVOIR STORAGE IS NEAR AVERAGE EXCEPT LAKE TAHOE. HOWEVER, THE *
* PERCENTAGE OF TOTAL WATER STORED IN THE SEVEN MAJOR RESERVOIRS IS *
* DECREASING AS THE DEMAND FOR WATER INCREASES. *

SIERRA EAST SLOPE

* *

Snow course measurements indicate the snow water in the snowpack is much below average for May 1. Water contents as compared to average are now 39 percent in the Truckee Basin; 28 percent in the Tahoe Basin; 54 percent in the Carson Basin; and 45 percent in the Walker Basin. During the last seven days of April, many snow courses were melting 1.0 inch of water per day with some courses melting 2.0 inches per day.

Warm weather, winds, and below average precipitation have rapidly depleted the existing snowpack. Snow courses with the largest amounts of water were Squaw Valley with a 55-inch depth containing 23.9 inches of water as compared to an average of 51.7 inches of water; Blue Lakes a 49-inch depth and 20.4 inches of water, with an average of 33.7 inches of water; and Independence Lake with a 53-inch depth and 23.1 inches of water and an average of 46.9 inches of water.

Forecasts for this summer streamflows have been reduced 5 to 10 percent of the April 1 forecasts. Lake Tahoe Rise, assuming the gates are closed, is predicted at .65 feet for 46 percent of average. The Truckee River at Farad streamflow, April through July, is predicted to be 130,000 acre-feet for 48 percent of average. Forecasts for runoff for the Carson and Walker Rivers range from 51 to 65 percent of average.

Reservoir storage is near average except in Lake Tahoe. The current usable storage in Lake Tahoe is 393,000 acre-feet for 77 percent of average and 54 percent of total usable capacity.

HUMBOLDT BASIN

Snow course measurements, SNOTEL and aerial marker readings indicate the snow water in the snowpack is 23 percent of average and only 33 percent of last year. Warm weather and below average precipitation during the month have contributed to the low snowpack.

The only sites with measurable snow were above 8,000 feet. Many SNOTEL sites are indicating snowmelt rates of 1/2 to 1 inch per day. The existing snowpack will be depleted quickly. However, cool temperatures will retard the melt rate.

Streamflow predictions for this summer are for runoff to be much below average this season. The April flow in the Humboldt River at Palisade was only 29 percent of average.

Rye Patch Reservoir storage is now 148,000 acre-feet, less than last month's 168,000 acre-feet and last year's May 1 reading of 163,000 acre-feet.

OWYHEE AND SNAKE BASINS

Snow course measurements, SNOTEL and aerial marker readings indicate snow water in the snowpack is 30 percent of average in the Owyhee Basin and 48 percent in the Snake River Basin. As in other basins, the snow line is at the higher elevations.


Runoff this summer will be considerably below average. Wild Horse Reservoir contains 53,000 acre-feet as compared to last May 1 of 63,000 acre-feet.

OTHER BASINS

Only a limited number of snow courses are measured for May 1 but the snow water is below average. Daily readings from SNOTEL sites indicate snow on only the high elevation sites.

Streamflow this summer will be much below average.

PROSPECTIVE WATER SUPPLY FOR NEVADA



INDEX TO NEVADA SNOW COURSES (By Basins)

Refer to the map on the preceeding page for Snow Course locations.

NUMBER	NAME	5EC.	TWP.	RGE.	ELEV.	
	SNAKE RIVER	BAS	IN			
	CE RIVER					
15H1SMA 15H2 15H135A 15H15A 15H2Oa 15H145A 15H18a 15H35A 15H19a	Bear Creek Fox Creek Caat Creek Hummingbird Springs Merritt Mountain Pole Creek Ranger Station Red Point 76 Creek Stag Mountain	31 33 31 6 10 13 15 6 32	46N 46N 46N 45N 46N 46N 47N 44N	58E 58E 60E 60E 54E 59E 61E 58E 58E	7800 6800 8800 8945 7000 8330 7940 7100 7800	
UMAH	HEE RIVER					
15H45M 16H6a 16H8a 15H5 16H1M 16H25AM 16H45 16H55 17G4a 15H9MP	Big Bend Columbia Basin Fawn Creek Gold Creek Jack Creek, Lower Jack Speak Laurel Oraw Laurel Oraw Louse Canyon Taylor Canyon	30 31 2 32 18 9 21 20 27 35	45N 44N 45N 45N 42N 42N 42N 45N 405 39N	56E 53E 52E 56E 53E 53E 53E 53E 44E 53E	6700 6650 7000 6600 6800 7250 8420 6700 6440 6200	
IIDDI	INTERIC) R				
15J17a 15J125A 15J15M 15J3 15H7 15J95M 15J10 15J10 15J11 15J4 15J65 15J8P 15J20 15J16a 15H6MP 15J2 15J19 15J2 15J19 15J1 15J19 15J1 15J1 15J1 15J2 15J2	American Beauty Corral Canyon Oorsey Basin Ory Creek Fry Canyon Green Mountain Harrison Pass #1 Harrison Pass #2 Lamoille #1 Lamoille #3 Lamoille #3 Lamoille #6 Robinson Lake Rodeo Flat Ryan Ranch Smith Creek Tremewan Ranch Trout Creek, Lower Trout Creek, Upper	32 27 28 5 31 23 9 16 15 24 31 6 23 36 1 26 9 28 4	31 N 28N 35N 34N 43N 29N 28N 28N 32N 32N 32N 34N 34N 34N 36N 39N 37N 36N	58E 57E 60E 54E 57E 57E 58E 59E 61E 59E 59E 57E 59E 61E 61E	7800 8500 8100 6500 6700 8000 7400 7100 8700 9200 6800 7600 5500 6900 8500	
LOW	ED HIMBOLDT DIVED					
17K1 17K2 17K3 17H2 17H1 17L1 17L2 17J2 17H4 17H5 17H3 16H3AP 16H7A	Rig Creek Campground Sig Creek Mine Sig Creek Mine Sig Creek, Upper Suckskin, Lower Buckskin, Upper Corral, Lower Corral, Loper Golconda #2 Granite Peak Lamance Creek Midas Toe Jam	10 23 26 25 11 12 20 22 22 13 13 18 29	17N 17N 17N 45N 45N 11N 11N 35N 44N 42N 44N 39N 40N	43E 43E 43E 39E 40E 41E 39E 39E 38E 39E 46E 50E	6600 7600 7800 6700 8200 7500 8000 6000 7800 6000 6700 7200 7700	
EVCI	TERN NEVADA					
14L1 14L2 14L3 14K25 14K1 14K9a 15J15 14K8 14K3 15K1 14K7 14K7	Hole-in-Mountain	29 30 25 26 34 9 6 34 25 34 25 34	35N	69E 69E 68E 65E 65E 61E 62E 61E 62E 69E	7900	
CEN.	TRAL GREAT BASIN					
18M2 18M5a 15N2 18M1 18M3a 18M4a 15N1	Campito Mountain (CA) Chiatovich Flat (CA) Clark Canyon Montgomery Pass Pinchot Creek (CA) Piute Pass (CA) Trough Springs	19 32 8 4 28 33 23	55 25 19S 1N 1N 45 185	35E 34E 56E 33E 33E 33E 55E	1 0200 1 0500 9000 71 00 9300 1 1700 8500	
NOR	THERN GREAT BASIN					
1 9H1 a 20H5 20H6 18G6a 18H1 20H3 a 20H7 19H3 19H2 20H1 0 17G5a 17H6a 20H4	Bald Mountain 8arber Creek (CA) Cedar Pass (CA) Denio Creek (OR) 0isaster Peak 0isaster Peak 0isand Swamp (CA) Eagle Peak (CA) 49 Mountain Hays Canyon Little Bally Mountain Mt. Bidwell (CA) North Star (CA) Oregon Canyon (OR) Quinn Ridge Reservation Creek (CA) Trout Creek (OR)	17 23 12 14 8 31 35 7 1 8 6 13 9 9	45N 39N 43N 41S 47N 48N 42N 39N 45N 47N 47N 40S 47N 46N	21E 16E 14E 34E 34E 17E 19E 19E 16E 16E 40E 41E	6270 6500 7100 6000 6500 7000 7200 6000 7200 6200 7240 6300 5900 7800	

NUMBER	R NAME	5EC.	TWP.	RGE.	ELEV.
LA	KE TAHOE				
20L5 20L105 19L2 19K6 19L3M5 19L245 20L4	Echo Peak (CA) Echo Summit (CA) Freal Eaf (CA) Freel Bench (CA) Glenbrook #2 Hagans Meadow (CA) Heavenly Valley (CA) Marlette Lake Richardsons #2 (CA) Rubicon #1 (CA) Rubicon #2 (CA) Tahoe City (CA) Tahoe City Alt. (CA) Tahoe City COA) Tahoe City COA) Upper Truckee (CA) Ward Creek (CA) Ward Creek #2 (CA)	35 6 36 13 36 1 1 28 18 6 6 6 7 7 1 21 21	12N 11N 13N 12N 14N 12N 12N 15N 13N 13N 15N 15N 15N 15N	18E 17E 18E 18E 18E 17E 19E 17E 17E 17E	7800 7450 6300 7300 8000 8850 8200 6500 8100 7500 6250 6300 6750 6400 6750 7000
TF	RUCKEE RIVER				
19K3 19K25	Boca #2 (CA) Brockway Summit (CA) Onner Park #2 (CA) Onner Summit (CA) Fordvce Lake (CA) Furnace Flat (CA) Independence Camp (CA) Independence Camp (CA) Independence Lake (CA) Little Valley Mt. Rose Mt. Rose Ski Area Sade Hen Creek (CA) Squaw Valley #2 (CA) Truckee #2 (CA) Webber Lake (CA) Webber Lake (CA)	28 3 18 25 34 10 34 14 9 17 7 30 7 6 22 29 30	18N 17N 19N 19N 18N 16N 17N	13E 13E 15E 15E 19E 19E 19E 16E 16E 16E	6500 6700 7000 6500 8450 6300 9000 9000
CA	RSON RIVER				
19L5 19L4 19K5 19L19 A 19L16a 19L065 19L31S 19L18A 19L20a	8lue Lakes (CA) Carson Pass, Upper (CA) Clear Creek Ebbetts Pass (CA) Fish Valley, Upper (CA) Poison Flat (CA) Wet Meadows #2 (CA) Wet Meadows Lake (Cal.) Wolf Creek (Cal.)	30 22 6 17 1 25 26 26 35	9N 1 0N 1 4N 8N 7N 8N 9N 9N 8N	19E 20E 22E 21E 19E	8700 8050 7900
WA	LKER RIVER				
19L11 19L10 19L12 19L8 19L175A 19L34 19L7 19L235 19M1* 19L13 19L22M5	Buckeye Forks (CA) Buckeye Roughs (CA) Buckeye Roughs (CA) Leavitt Meadows (CA) Lobdell Lake (CA) 5awmill Ridge (CA) 5onora Pass (CA) 5onora Pass (CA) Virginia Lakes (CA) Virginia Lakes Ridge (CA) Willow Flat (CA)	20 15 4 4 20 17 1 6 30 5 32 21	4N 4N 3N 5N 7N 3N 5N 5N 2N 2N 5N	25E 25E	7200 9200 8750 9800 8800 9900 9500 9200
	COLORA	DO			
L	OWER COLORAGO RIVER				
15N5 15N3 15N8 14M1 14M2 15N7 15L1	Kyle Canyon Lee Canyon #2 Lee Canyon #3 Mathew Canyon Pine Canyon Rainbow Canyon #2 White River #1	27 9 10 10 23 6 31	19S 195 19S 65 6S 205 13N	56E 70E 69E 57E	8200 9200 8500 6000 6200 8100 7400


LEGENO

NUMBERING 5Y5TEM (EXAMPLE)


19K4 Snow Course Only
19K45 Snow Course with SMOTEL
19K4M Snow Course and Soil Moisture
19K4A Snow Course and Aerial Marker
19K4P Snow Course and Storage Precipitation Cage
19K4MA Snow Course, Soil Moisture and Aerial Marker
19K4MP Snow Course, Soil Moisture, and Precipitation Cage

Lower case letter "a" indicates no snow course, only an Aerial 'ark SWOTEL has telemetered data for snow villow, precipitation gage and temperature.

WINTER SNOWPACK TAHOE, TRUCKEE, CARSON & WALKER BASINS CALIFORNIA - NEVADA



WINTER SNOWPACK UPPER HUMBOLDT & SNAKE BASINS NEVADA



STREAMFLOW FORECASTS (Thousand Acre Feet) as of: May 1, 1981

· Farecasts are based on snaw-water presently stored in the mauntain watersheds and the assumption that precipitation will be near average throughout the forecast period. Peak flow farecasts indicate the most probable range for the maximum average 24-hour flow. All averages are for 1963-77 period.

average 24-11001 110w. All averages are for 1700 77 period.				
FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average +
TRUCKEE RIVER Little Truckee River above Boca, CA Truckee River at Farad, CA1/ Lake Tahoe Rise in Feet (assuming gates closed)	April-July April-July April 1 to high	35 130 .65	40 48 46	87 273 1.42
CARSON RIVER East Carson near Gardnerville, NV West Carson at Woodfords, CA Carson River near Carson City, NV Carson River near Fort Churchill, NV	April-July April-July April-July April-July	115 35 95 85	62 66 52 51	187 53 183 167
WALKER RIVER East Walker near Bridgeport, CA2/ W. Walker below L. Walker nr Coleville, CA	April-Aug. April-July	45 95	65 65	69 146
SNAKE RIVER Owyhee River near Owyhee, NV ³ / Owyhee River near Gold Creek, NV ³ / Salmon Falls Creek nr San Jacinto, NV	April-July April-July March-Sept	6	35 27	80 22 95
HUMBOLDT RIVER Lamoille Creek near Lamoille, NV S. Fork Humboldt above Dixie Creek, NV Marys River above Hot Springs, NV N. Fork Humboldt at Devils Gate, NV Humboldt River at Palisade, NV Humboldt River at Comus, NV Martin Creek near Paradise, NV	April-July April-July April-July April-July April-July April-July April-July	10 75	43 41 41 29 34 34	28 73 37 35 221 175
NORTHERN GREAT BASIN Bidwell Creek near Fort Bidwell, CA Mill Creek near Cedarville, CA Deep Creek near Cedarville, CA Eagle Creek near Eagleville, CA	April-July April-July April-July April-July	7.8 2.6 2.3 2.7	65 63 64 63	12 4.1 3.6 4.3
<u>COLORADO RIVER</u> Virgin River at Littlefield, AZ	May-June	19	65	29

NOTE: Streamflow forecasts which appear in this bulletin are a coordinated activity of the National Weather Service and the Soil Conservation Service in an effort to provide the best possible forecasting service to water users.

^{1/} Observed flow plus change in storage in Boca, Stampede and Prosser Reservoirs, Donner, Independence and Martis Creek Lakes, and minus the flow at Truckee River at Tahoe City, California. 2/ Observed flow plus change in storage in Bridgeport Reservoir. 3/ Observed flow plus change in storage in Wild Horse Reservoir.

⁺¹⁹⁶³⁻⁷⁷ Period.

RESERVOIR STORAGE (Thousand Acre Feet) AS OF May 1, 1981

		Usable		Usable Storage	
Basin or Stream	RESERVOIR	Capacity	This Year	Last Year	Average †
Owyhee	Wild Horse	72	53	63	43
Lower Humboldt	Rye Patch	172	148	163	135
Colorado	Mohave	1,810	1,724	1,551	1,700
Colorado	Mead	26,159	22,691	23,198	17,200
Tahoe	Tahoe	732	393	365	513
Truckee	Boca	41	28	23	30
Truckee	Stampede**	220	142	132	129*
Truckee	Prosser***	30	12	20	12*
Carson	Lahontan	291	236	246	237
West Walker	Topaz	59	44	46	42
East Walker	Bridgeport	42	37	31	32
* Adjusted average. ** Storage began August 1, 1 *** Flood Control use allocat		November 1 and April 10	ı.		

TOTAL RESERVOIR STORAGE (Thousand Acre Feet)

MONTH	This Year	Last Year	Average †
October 1	883	430	786
January 1	793	432	844
February 1	859	676	920
March 1	8 9 8	795	968
April 1	953	875	1,010
May 1	939	937	1,032

PEAK FLOWS (MAXIMUM MEAN DAILY) (Av. flow for 24 hrs. on day of greatest flow)

	PEAK FLOW (SECOND FEET)			
FORECAST POINT	Forecast Range	Average †		
East Fork Carson River near Gardnerville, NV Carson River near Carson City, NV Carson River near Fort Churchill, NV W. Walker R. below L. Walker R. nr Coleville, CA	950-1200 900-1150 850-1100 900-1150	1,865 2,098 1,914 1,589		

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/ Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
East Carson River near Gardnerville, MEast Carson River near Gardnerville, M	NV 200	7/6	7/24
	NV 500	6/11	6/28


SATELLITE SNOW COVER TAHOE-TRUCKEE, CARSON AND WALKER BASINS

April 14, 1981 SNOW COVERED AREAS PYRAMID LAKE O RENO O FALLON LAHONTAN RESERVOIR TAHOE CARSON CITY MINDEN O YERINGTON WALKER LAKE SCALE 1:2,000,000 DATA PROVIDED BY NOAA/NESS WASHINGTON D.C.

BASIN TAHOE-TRUCKEE	THIS YEAR November 27, 1980 December 28, 1980 February 1, 1981 February 22, 1981 March 28, 1981 April 14, 1981	26.0% 36.0%	LAST YEAR November 29, 1979 December 27, 1979 January 26, 1980 February 26, 1980 March 29, 1980 April 26, 1980	68.0% 30.0% 34.0% 24.0%
CARSON	November 27, 1980 December 28, 1980 February 1, 1981 February 22, 1981 March 28, 1981 April 14, 1981	9.0% 18.0%	November 29, 1979 December 27, 1979 January 26, 1980 February 26, 1980 March 29, 1980 April 26, 1980	31.0% 15.0% 16.0% 11.0%
WALKER	November 27, 1980 December 28, 1980 February 1, 1981 February 22, 1981 March 28, 1981 April 14, 1981	9.0% 11.0% 52.0% 21.0% 57.0% 17.0%	November 29, 1979 December 27, 1979 January 26, 1980 February 26, 1980 March 29, 1980 April 26, 1980	3.0% 68.0% 25.0% 32.0% 27.0% 21.0%

SATELLITE SNOW COVER HUMBOLDT RIVER ABOVE COMUS, NEVADA

April 28, 1981



THIS YEAR	PERCENT SNOW COVER	LAST YEAR	PERCENT SNOW COVER
November 27, 1980	43.0%	November 27, 1979	71.0%
December 26, 1980	4.0%	December 26, 1979	81.0%
February 1, 1981	89.0%	January 30, 1980	100.0%
February 4, 1981	78.0%	February 4, 1980	80.0%
February 10, 1981	53.0%	February 9, 1980	62.0%
February 22, 1981	13.0%	February 25, 1980	29.0%
March 9, 1981	11.0%	March 10, 1980	26.0%
March 24, 1981	11.0%	March 23, 1980	18.5%
March 29, 1981	40.0%	March 29, 1980	16.0%
April 5, 1981	25.0%	April 7, 1980	23.0%
April 12, 1981	7.0%	April 12, 1980	11.0%
April 28, 1981	3.0%	April 26, 1980	5.0%

SNOW COURSE MEASUREMENTS		THIS YEAR		PAST	RECORD
DRAINAGE BASIN and/or SNOW COURSE	Date	Snow Depth	Water Content	Water Con	tent (inches)
NAME Elevation	of Survey	(Inches)	(inches)	Last Year	Average †
LAKE TAHOE Echo Peak (CA) 7,800 Echo Summit (CA) 7,450 Freel Bench (CA) 7,300 Hagan's Meadow (CA) 8,000 Heavenly Valley (CA) 8,800 Marlette Lake 8,000	4/29/81 4/30/81 4/29/81 4/29/81 4/29/81 4/29/81	20 14 0 0 31	9.0 6.2 0.0 0.0	45.8 30.9 0.1 17.8 37.5	26.2 5.8* 12.3* 24.2*
Rubicon #2 (CA) 7,500 Upper Truckee (CA) 6,400 Ward Creek #2 (CA) 7,000 Ward Creek #3 (CA) 6,750 Summary: Total Snow Courses - 8	4/29/81 4/29/81 4/29/81 4/30/81 4/29/81	16 22 0 27 30	5.3 9.4 0.0 12.5 12.0	28.6 36.6 0.1 44.7 44.6	20.6* - 2.2* 38.8 37.9*
Snow Water Content Inches Precent of Last Year, Aver TRUCKEE RIVER	ag e		(47.8)	(204.3 (23%)	(168.0) (28%)
Donner Summit (CA) 6,900 Fordyce Lake (CA)b 6,500 Furnace Flat (CA)b 6,700 Independence Camp (CA) 7,000 Independence Creek (CA) 6,500 Independence Lake (CA) 8,450 Mount Rose 9,000 Mount Rose 9,000 Mount Rose Ski Area 8,850 Squaw Valley #2 (CA) 7,500 Squaw Valley Gold Coast (CA) 8,200 Summary: Total Snow Courses - 6 Snow Water Content Inches	4/27/81 4/29/81 4/29/81 4/29/81 4/29/81 4/29/81 4/30/81 4/29/81 4/29/81	20 28 47 2 1 53 36 42 55 60	9.0 14.4 23.2 0.6 0.4 23.1 16.1 19.3 23.9 27.3**	40.1 43.9 56.7 22.1 7.9 55.6 43.6 54.9 62.0 64.9	33.6* 38.1* 45.5 17.4* 6.6* 46.9* - 38.8* 51.7* -
Percent of Last Year, Aver CARSON RIVER	a ge			(31%)	(39%)
Blue Lakes (CA) 8,000 Carson Pass, Upper (CA) 8,600 Ebbetts Pass AM (CA) 8,700 Ebbetts Pass #2 (CA) 8,700 Monitor Pass AM (CA) 8,350 Poison Flat #2 (CA) 7,900 Wet Meadows Lake AM (CA) 8,050 Wet Meadows #2 (CA) 8,050 Summary: Total Snow Courses - 2	4/28/81 4/27/81 4/29/81 4/29/81 4/29/81 4/29/81 4/29/81 4/29/81	49 36 48 49 4 4 34 52	20.4 15.4 20.5a 21.3 1.5a 1.4 14.0a 21.3	42.0 40.3 64.5a 58.2 - 18.5 38.0a 54.7	33.7 33.1 - - - - -
Snow Water Content Inches Percent of Last Year; Aver	age		(35.8)	(82.0) (44%)	(66.8) (54%)
WALKER RIVER Leavitt Lake (CA) 9,400 Leavitt Meadows (CA) 7,200 Lobdell Lake (CA) 9,200 Sonora Pass (CA) 8,800 Sonora Pass Bridge (CA) 8,800 Virginia Lakes (CA) 9,500 Virginia Lakes Ridge (CA) 9,200 Summary: Total Snow Courses - 4 Snow Water Content Inches Percent of Last Year; Avera	4/28/81 4/28/81 4/29/81 4/28/81 4/28/81 4/28/81 4/28/81	69 0 14 18 27 15 28	30.7 0.0 5.6** 7.4 10.6 6.2 11.0 (35.2) (34.0 <i>e</i> 33.8 24.2 29.6	- 20.3 26.3 15.1* 16.0* (77.7) (45%)

puo a ∞ M 7 ~ L − 2 2 0 2 5 5

SNOW COURSE MEASUREMENTS			THIS YEAR	Y	PAST R	ECORD
DRAINAGE BASIN and/or SNOW COUL	RSE	Date of Survey	Snow Depth (Inches)	Water Content (Inches)		ent (inches)
NAME	Elevation	Ur survey	((Last Year	Average T
NORTHERN GREAT BASIN						
Cedar Pass (CA)	7,100	4/30/81	4	2.1	14.3	15.2*
Dismal Swamp #2 (CA)	7,000	4/30/81	30	10.2**	25.8	-
Summary: Total Snow Cou Snow Water Con				(2.1)	(14.3)	(15.2)
Percent of Las		age		(2.1)	(15%)	(14%)
SNAKE RIVER	, , , , , , , , , , , , ,				(,	(1117)
	7 900	4/29/81	27	9.0a	15.2a	20.8a
Bear Creek AM Goat Creek	7,800 8,800	4/28/81	29	10.2	18.3	20.8 <i>a</i>
Merritt Mountain AM	7,000	4/29/81	0	0.0a	-	-
Pole Creek Ranger Station	8,330	4/28/81	36	13.7	18.6	23.6
Seventy Six Creek Seventy Six Creek AM	7,100 7,100	4/30/81 4/29/81	0 0	0.0** 0.0 <i>a</i>	$0.0 \ 0.0a$	3.2 3.2 <i>a</i>
Stag Mountain AM	7,700	4/29/81	Ö	0.0a	0.0 <i>a</i> ≟	- -
Summary: Total Snow Cou	rses - 4	.,,				()
Snow Water Con		200		(32.9)	(52.1) (63%)	(68.5) (48%)
Percent of Las	it rear; Aver	aye			(63%)	(40%)
OWYHEE RIVER						
Big Bend	6,700	4/28/81	0	0.0	0.0	2.4
Columbia Basin AM Fawn Creek #2	6,650 7,050	4/29/81 4/30/81	0 25	0.0 _a 8.3**	- 7.8	-
Gold Creek	6,600	4/29/81	0	0.0	0.0	1.0
Jack Creek, Lower	7,250	4/28/81	0	0.0	0.0	0.8
Jack Creek, Upper	7,250	4/28/81	0	0.0	0.0	4.7
Jack Creek #2, Upper Jacks Peak	7,250 8,420	4/28/81 4/30/81	13 30	4.3 10.0	10.4 23.9	26.8
Laurel Draw	6,700	4/30/81	0	0.0**		-
Taylor Canyon	6,200	4/28/81	0	0.0	0.0	0.5
Summary: Total Snow Cou				(10.0)	(22.0)	(22.2)
Snow Water Cor Percent of Las		rage		(10.0)	(23.9) (42%)	(33.3) (30%)
UPPER HUMBOLDT RIVER		-5-			(1210)	(00,0)
America Beauty AM	7,800	4/29/81	0	0.0a	_	_
Corral Canyon	8,500	4/30/81		8.8**	10.7	-
Dorsey Basin	8,100	4/30/81	4	1.1**	3.2	-
Fry Canyon	6,700	4/28/81		0.0	0.0	1.5
Green Mountain Lamoille #1	8,000 7,100	4/30/81 4/29/81	0 0	0.0** 0.0	0.0 0.0	- 4.4*
Lamoille #3	7,700	4/29/81	Ŏ	0.0	3.4	8.3*
Lamoille #5	8,700	4/29/81	31	10.5	28.6	30.0*
Robinson Lake AM	9,200	4/29/81	56	16.5a	-	1 5
Rodeo Flat Tent Mountain AM, Lower	6,800 7,000	4/28/81 4/29/81	0 0	$0.0 \ 0.0 \alpha$	0.0	1.5
Tent Mountain AM, Upper	8,350	4/29/81		6.5a	-	-
Tremewan Ranch	5,700	4/29/81	´ 0	0.0	0.0	-
Trout Creek, Upper AM Summary: Total Snow Cou	8,500	4/29/81	0	0.0a	-	-
Snow Water Cor				(10.5)	(32.0)	(45.7)
Percent of Las		rage		(.0.0)	(33%)	(23%)
				,	+	1963-1977 period.

SNOW COURSE MEASUREMENTS		THIS YEAR			PAST RECORD		
DRAINAGE BASIN and/or SNOW COURSE NAME	Elevation	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Conte	Average †	
LOWER HUMBOLDT RIVER	Lievation			1	Last tab	Average	
Big Creek Summit	8,700	4/27/81	32	0.6**		_	
Buckskin, Lower	6,700		0	0.0**	•	•	
Granite Peak	7,800		20	7.2**	-	-	
Lamance Creek	6,000	4/30/81	0	0.0	-	-	
Summary: Total Snow Courses Snow Water Content		(In	cufficie	ent Data)			
Percent of Last Ye		•	Surricie	iic baca,			
EASTERN NEVADA							
Berry Creek	9,100	4/30/81	30	10.5**	17.4	16.3*	
Hole-in-Mountain AM	7,900	4/30/81	0	0.0	-	-	
Ward Mountain #2 Summary: Total Snow Courses	7,400 5 - 2	4/30/81	12	4.4**	9.9	-	
Summary: Total Snow Courses Snow Water Content				(10.5)	(17.4)	(16.3)	
Percent of Last Ye		rage		(10.0)	(60%)	(64%)	
DESERT RESEARCH INSTITUTE MEASU TAHOE-TRUCKEE BASIN	JREMENTS						
Alder Creek	6,960	4/30/81	13	6.7	33.0	-	
Apollo Way	7,300	4/29/81	0	0.0	0.0	- ,	
Bennett Flat Davis Creek	6,200 5,160	4/30/81 4/29/81	0	0.0 0.0	0.0	-	
Evergreen Hills Road	5,700	4/29/81	Ö	0.0	0.0	•	
Galena Creek	7,440	4/29/81	0	0.0	16.2	•	
Henness Pass Junction	6,410	4/30/81	0	0.0	7.5	-	
Hobart Mills	5,850	4/30/81	0	0.0	0.0	_	
Incline Lake Jones Creek	8,000 6,000	4/29/81 4/29/81	0	0.0 0.0	20.4	_	
Mount Rose Resort	8,280	4/29/81	14	5.1	39.0	•	
North Star Fire Department	6,320	4/30/81	0	0.0	0.0	-	
Reindeer Lodge	7,060	4/29/81	0	0.0	0.0	•	
RNR Test Site Sky Tavern	6,400 7,620	4/29/81 4/29/81	0	0.0 0.0	0.0 10.2	-	
Spooner Summit	7,620	4/28/81	Ö	0.0	0.0	-	
Squaw Valley Fire Department	6,240	4/30/81	0	0.0	0.0	-	
Tahoe City	6,240	4/29/81	0	0.0	0.0	•	
Tahoe Meadows	8,540	4/29/81 4/29/81	36 32	18.0 14.1	50.1	-	
Tamarack Lake Third and Incline Creeks	8,820 6,235	4/29/81	0	0.0	47.1 0.0	-	
Thunder Cliff	6,200	4/30/81	Ö	,0.0	0.0	-	
Truckee Airport	5,900	4/30/81	0	0.0	0.0	-	
Whites Creek	5,670	4/29/81	0	0.0	0.0	-	

a Aerial Marker

e Estimated

NS Not scheduled

All averages based on 1963-77, 15-year period. Forecast period is April 1 through July 31 unless otherwise noted.

NOTE:

b Located on adjacent basin

^{*} Less than 15-year record

^{**} SNOTEL provisional, depth estimated

Date of Reading 4/30/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	Month's Precipitation 2.1 0.6 1.6 2.7 1.4 1.0 2.7 1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2 2.5 4.9 1.6	4.0 1.9 2.5 2.8 1.8 2.0 3.5 2.5 2.9 5.1 3.4 - 2.7 - 4.6	28.0 17.0 17.2 20.1 19.8 17.5 27.6 20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	64.0 41.8 41.4 38.3 43.2 32.7 57.3 40.5 39.9 78.2 52.0 - 48.8 - 80.4	1979 34.7 20.5 28.3 26.4 27.4 21.7 26.8 28.6 25.0 44.3 33.1 52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	0.6 1.6 2.7 1.4 1.0 2.7 1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2 2.5 4.9	1.9 2.5 2.8 1.8 2.0 3.5 2.5 2.9 5.1 3.4 - 2.7 - 4.6	17.0 17.2 20.1 19.8 17.5 27.6 20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	41.8 41.4 38.3 43.2 32.7 57.3 40.5 39.9 78.2 52.0 - 48.8 - 80.4	20.5 28.3 26.4 27.4 21.7 26.8 28.6 25.0 44.3 33.1
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	0.6 1.6 2.7 1.4 1.0 2.7 1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2 2.5 4.9	1.9 2.5 2.8 1.8 2.0 3.5 2.5 2.9 5.1 3.4 - 2.7 - 4.6	17.0 17.2 20.1 19.8 17.5 27.6 20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	41.8 41.4 38.3 43.2 32.7 57.3 40.5 39.9 78.2 52.0 - 48.8 - 80.4	20.5 28.3 26.4 27.4 21.7 26.8 28.6 25.0 44.3 33.1
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	1.6 2.7 1.4 1.0 2.7 1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2	2.5 2.8 1.8 2.0 3.5 2.5 2.9 5.1 3.4 - 2.7 - 4.6	17.2 20.1 19.8 17.5 27.6 20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	41.4 38.3 43.2 32.7 57.3 40.5 39.9 78.2 52.0 - 48.8 - 80.4	28.3 26.4 27.4 21.7 26.8 28.6 25.0 44.3 33.1
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	2.7 1.4 1.0 2.7 1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2 2.5 4.9	2.8 1.8 2.0 3.5 2.5 2.9 5.1 3.4 - 2.7 - 4.6	20.1 19.8 17.5 27.6 20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	38.3 43.2 32.7 57.3 40.5 39.9 78.2 52.0 - 48.8 - 80.4	26.4 27.4 21.7 26.8 28.6 25.0 44.3 33.1
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	1.4 1.0 2.7 1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2 2.5 4.9	1.8 2.0 3.5 2.5 2.9 5.1 3.4 - 2.7 - 4.6	19.8 17.5 27.6 20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	43.2 32.7 57.3 40.5 39.9 78.2 52.0 - 48.8 - 80.4	27.4 21.7 26.8 28.6 25.0 44.3 33.1
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	1.0 2.7 1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2	2.0 3.5 2.5 2.9 5.1 3.4 - 2.7 - 4.6	17.5 27.6 20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	32.7 57.3 40.5 39.9 78.2 52.0 - 48.8 - 80.4	21.7 26.8 28.6 25.0 44.3 33.1 - - - 52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	2.7 1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2 2.5 4.9	3.5 2.5 2.9 5.1 3.4 - 2.7 - 4.6	27.6 20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	57.3 40.5 39.9 78.2 52.0 - 48.8 - 80.4	26.8 28.6 25.0 44.3 33.1 - - - 52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	1.6 1.1 2.7 2.3 2.1 1.5 0.5 1.2 2.5 4.9	2.5 2.9 5.1 3.4 - 2.7 - 4.6	20.0 17.5 29.6 24.8 36.4 21.8 17.2 37.2	40.5 39.9 78.2 52.0 - 48.8 - 80.4	28.6 25.0 44.3 33.1 - - - 52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	1.1 2.7 2.3 2.1 1.5 0.5 1.2	2.9 5.1 3.4 - 2.7 - 4.6	17.5 29.6 24.8 36.4 21.8 17.2 37.2	39.9 78.2 52.0 - 48.8 - 80.4	25.0 44.3 33.1 - - - 52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	2.7 2.3 2.1 1.5 0.5 1.2 2.5 4.9	5.1 3.4 - 2.7 - 4.6	29.6 24.8 36.4 21.8 17.2 37.2	78.2 52.0 - 48.8 - 80.4	44.3 33.1 - - - 52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	2.3 2.1 1.5 0.5 1.2 2.5 4.9	3.4 - 2.7 - 4.6	24.8 36.4 21.8 17.2 37.2	52.0 - 48.8 - 80.4	33.1 - - - 52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	2.1 1.5 0.5 1.2 2.5 4.9	- 2.7 - 4.6	36.4 21.8 17.2 37.2	- 48.8 - 80.4 48.0	- - - 52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	1.5 0.5 1.2 2.5 4.9	2.7 - 4.6	21.8 17.2 37.2	80.4	52.6
5/01/81 5/01/81 5/01/81 5/01/81 5/01/81	0.5 1.2 2.5 4.9	- 4.6 -	17.2 37.2 27.7	80.4	52.6
5/01/81 5/01/81 5/01/81 5/01/81	1.2 2.5 4.9	4.6	37 .2 27 .7	80.4	52.6
5/01/81 5/01/81 5/01/81	2.5 4.9	-	27 .7	48.0	
5/01/81 5/01/81	4.9	- 4.3			36.7
5/01/81 5/01/81	4.9	- 4.3			36.7
5/01/81		4.3	35.7	64.0	1
	1.6			64.8	39.2
5/01/81		1.8	20.2	39.1	27.6
3/01/01	0.7	2.6	15.7	29.4	19.9
4/30/81	1.1	-	7.7	-	-
5/01/81	1.5	3.4	18.2	40.2	29.9
5/01/81	2.1	2.0	21.6	44.4	30.7
5/01/81	1.8	-	19.8	-	_
5/01/81	1.7	1.6	18.8	34.7	24.8
5/01/81	1.2	5.2	31.9	60.3	36.5
4/27/81	1.5	-	13.1	-	-
5/01/81	1.1	-	14.1	-	-
5/01/81	1.6	2.0	15.0		21.3
5/01/81	2.9	1.9	16.6	24.5	25.0
4/28/81	2.4	-	11.4	-	-
5/01/81	1.1	-	15.5	-	-
5/01/81	1.4	2.2	14.4	22.2	22.5
5/01/81	1.2	-	13.2	-	-
5/01/81	1.7	2.7	14.2	23.7	20.8
Not Surveyed	-	1.6	-	15.0	12.7
	,				
	5/01/81 5/01/81 5/01/81 4/28/81 5/01/81 5/01/81 5/01/81	5/01/81 1.1 5/01/81 1.6 5/01/81 2.9 4/28/81 2.4 5/01/81 1.1 5/01/81 1.4 5/01/81 1.2 5/01/81 1.7	5/01/81 1.1 - 5/01/81 1.6 2.0 5/01/81 2.9 1.9 4/28/81 2.4 - 5/01/81 1.1 - 5/01/81 1.4 2.2 5/01/81 1.2 - 5/01/81 1.7 2.7	5/01/81 1.1 - 14.1 5/01/81 1.6 2.0 15.0 5/01/81 2.9 1.9 16.6 4/28/81 2.4 - 11.4 5/01/81 1.1 - 15.5 5/01/81 1.4 2.2 14.4 5/01/81 1.2 - 13.2 5/01/81 1.7 2.7 14.2	5/01/81 1.1 - 14.1 - 5/01/81 1.6 2.0 15.0 22.7 5/01/81 2.9 1.9 16.6 24.5 4/28/81 2.4 - 11.4 - 5/01/81 1.1 - 15.5 - 5/01/81 1.4 2.2 14.4 22.2 5/01/81 1.2 - 13.2 - 5/01/81 1.7 2.7 14.2 23.7

PRECIPITATION (Inches) FOR APRIL 1981 - Soil Conservation Service

DRAINAGE BASIN and	E1 E14 =: 6::	- Soil Conservation Service CURRENT INFORMATION CURRENT INFORMATION			FROM APPROX. OCT I TO DATE		
PRECIPITATION GAGE LOCATION	ELEVATION	Date of Reading	Month's Precipitation	Last Year	This Year	Last Year	1979
SNAKE-OWYHEE							
ear Creek	7,800	5/01/81	3.2	2.3	18.1	28.0	23.0
ig 8end	6,700	5/01/81	1.8	1.5	10.4	14.5	12.4
awn Creek #2	7,000	5/01/81	3.7	3.1	19.8	28.6	25.0
pat Creek	8,800	5/01/81	3.5	3.2	17.4	29.7	23.6
ack Creek #2, Upper	7,250	5/01/81	1.7	1.3	16.1	21.5	20.9
cks Peak*	8,420	Not Surveyed	-	7.7	•	34.3	27.0
urel Draw	6,700	5/01/81	1.9	1.1	13.8	21.1	18.6
le Creek Ranger Station	8,330	5/01/81	2.3	2.6	10.0	17.7	16.0
eventy Six Creek	7,100	5/01/81	2.1	1.3	10.6	17.1	19.8
ylor Canyon	6,200	5/01/81	0.8	1.6	5.1	8.8	8.7
EASTERN NEVAOA				1		8	
rry Creek	9,100	5/01/81	2.7	1.7	14.9.	19.5	17.9
ard Mountain	8,900	5/01/81	2.2	-	14.7	. //	_
NORTHERN GREAT BASIN							
dar Pass (CA)	7,100	5/01/81	1.7	2.3	20.9	34.1	26.0
saster Peak smal Swamp #2 (CA)	6,500 7,050	5/01/81 5/01/81	0.6 1.9	3.9	10.7 29.1	43.6	-
All data SNOTEL provisional * Non-SNOTEL storage gage.							

DRAINAGE BASIN and	E. 5.4.7.5.		RENT INFORMA			T TOBER I TO D	OCTOBER 1 TO DATE			
PRECIPITATION GAGE LOCATION	ELEVATION	Month's Precipitation	Last Year	Normal1/	This Year	Last Year's	Normal 1			
TRUCKEE-TAHOE	TRUC									
oca	5,575	.77	.80	1.56	11.57	22.98	19.1			
lenbrook	6,350	1.26	1.05	1.16	10.79	19.62	15.6			
ncline Village	6,550	.81	1.20	1.29	12.42	25.42	19.2			
eno	4,404	.21	.51	.47	2.88	8.44	5.4			
ierraville	4,975	.46	1.34	1.70	13.04	31.42	24.3			
ahoe City	6,230	.74	2.64	2.33	18.62	43.57	30.0			
ruckee Ranger Station	5,995	1.04	2.16	2.45	17.05	35.29	29.5			
CARSON-WALKER										
	6 560				7.10	14.76				
ridgeport Ranger Station	6,560	.02	.52	.46	7.13	14.76	9.3			
arson City	4,651	.36	.78	.54	5.36	14.39	9.6			
allon Experiment Station	3,965	.47	.44	.33	2.17	3.14	2.9			
awthorne	4,215	1.25	.83	.51	4.17	3.20	2.7			
inden	4,720	.64	.80	.47	3.67	9.74	6.6			
win Lakes	7,829	2.80	3.43	4.64	27.76	54.42	45.2			
oodfords	5,971	.76	1.27	1.25	10.23	25.59	17.7			
HUMBOLDT										
ustin	6,605	.66	. 36	1.47	7.65	6.83	7.7			
attle Mountain	4,530	.03	. 39	.76	3.49	5.29	4.7			
eeth	5,338	1.59	1.91	.93	4.61	9.98	5.8			
1ko	5,075	.75	1.22	.82	3.94	8.87	6.3			
migrant Pass	5,755	.30	.63	1.08	4.68	5.40	8.2			
iggs .	5,760	.63	.45	1.35	5.37	7.22	7.4			
amoille	5,800	.97	.76	2.53	7.10	10.03	12.3			
ovelock FAA	3,900	.36	.45	. 36	1.86	4.04	2.9			
orth Fork	6,600	.82	.71	.80	5.75	10.63	6.8			
aradise Valley	4,675	.21	.55	.59	3.86	9.57	6.7			
ells	5,650	1.30	1.48	.94	3.71	9.07	6.6			
innemucca	4,301	.19	.26	.73	3.15	4.69	5.7			
	4,501	,	.20	.,,	3.13	1.05	3			
SNAKE-OWYHEE										
ontact	5,365	2.03	.60	.64	3.99	5.35	4.6			
ountain City	5,620	.80	.91	*	5.38	12.06	*			
wyhee	6,491	1.94	1.17	1.50	7.97	6.81	9.4			
uscarora	6,170	.23	.97	1.36	5.40	11.24	10.0			
EASTERN NEVADA										
rthur ·	6,280	.96	.76	1.33	6.01	14.18	10.0			
ly	6,253	1.10	.51	1.00	5.39	5.82	5.0			
ontello	4,880		.98	.54		5.74	3.5			
equop	6,030	.52	1.29	*	3.72	10.45	*			
uby Lake	6,012	.42	1.02	1.17	4.24	12.58	8.5			
NORTHERN GREAT BASIN										
Ituras Ranger Station	4,400	.79	.75	1.00	4.88	10.59	9.4			
edarville	4,670	.36	.86	.97	6.95	14.68	11.0			
t. Bidwell	4,498	.56	.72	1.04	10.87	17.88	12.2			
rovada	4,310	.61	.45	1.12	5.06	7.35	7.4			
rovada usanville	4,310	.25	.84	.73	6.96	15.12	12.2			
	4,140	.25	.04	.,,	0.30	13.12	,			
CENTRAL GREAT BASIN		·								
onopah	5,426	.40	.42	.32	2.47	2.49	2.1			
LOWER COLORADO RIVER										
aliente	4,402	.85	.58	.84	5.38	7.48	5.6			
as Vegas	2,162	.02	.18	.27	1.80	5.09	2.3			
ioche	6,165	1.53	1.04	1.34	4.71	12.25	8.9			
TUCTIE										
Toche										



AGENCIES COOPERATING IN COLLECTING DATA CONTAINED IN THIS BULLETIN

FEDERAL

Agricultural Research Service
Bureau of Reclamation
Fish and Wildlife Service
Forest Service
Geological Survey
Soil Conservation Service
U. S. District Court - Federal Water Master
NOAA, National Weather Service

STATE

California Cooperative Snow Surveys
California Department of Parks and Recreation
California Department of Water Resources
Colorado River Commission of Nevada
Idaho Cooperative Snow Surveys
Nevada Association of Conservation Districts
Nevada Department of Conservation & Natural Resources
Division of Water Resources
Nevada State Forester
Oregon Cooperative Snow Surveys
University of Nevada, Desert Research Institute
Utah Cooperative Snow Surveys
White Mountain Research Station, Univ. of California

PRIVATE

Amalgamated Sugar Company
Kennecott Copper Corporation
Nevada Irrigation District
Owyhee Project North Board of Control
Owyhee Project South Board of Control
Pacific Gas and Electric Company
Pershing County Water Conservation District
Sierra Pacific Power Company
Truckee - Carson Irrigation District
Walker River Irrigation District
Washoe County Water Conservancy District

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE

RENO, NEVADA 89505 P.O. Box 4850

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF
AGRICULTURE
AGR-101



U.S. MAIL



Charles Land

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

domestic and municipal water supply, hydro-electric power water supply for irrigation, necessary for forecasting generation, navigation, Furnishes the basic data mining and industry

"The Conservation of Water begins with the Snow Survey"